



Proven in the Most Demanding Fire Departments Across the Nation

Meanstick® 75' Aerial Ladder

- *Rear Mount Single Axle Aerial Quint*
- *75' 500 lb. Aerial Ladder*
- *Available on a Marauder® or Capitol® Cab and Chassis*



500lb. Tip Load

The Seagrave Meanstick[®] features an aerial tip load capacity of 500 pounds, when flowing up to 1,000 gallons of water per minute with the aerial device placed at any angle with any extension.



Seagrave Aerials

Seagrave aerials are known for being tough, dependable, and highly maneuverable. Seagrave aerials feature controls at your fingertips and independent outrigger controls. Turntables feature generous foot room and guard rails for optimum comfort and safety.



Meanstick[®] Aerial Ladder Features

- Sheave blocks are designed with Teflon impregnated into them for smooth operation
- Wear strips are easily accessible without removing the ladder from the truck
- Optional removable tip section for easy repairs and replacement
- Aerial devices are custom made by Seagrave, not outsourced
- Wider rungrways for easier climbing
- Nested Steel I-Beam Ladder Design
- Lower and narrower profile
- Optional wireless control station available

Ease, Speed, and Expanded Capabilities of Operations


- Aerial extends from 5 degrees below grade to 80 degrees above grade
- Water tanks of up to 500 gallons available
- Pre-piped waterway with pinnable option
- Outfitted with H-Frame outriggers
- Available with 115' of ground ladders in the standard configuration
- Highly maneuverable wheelbase similar to that of a pumper

Protecting What Matters Most

Seagrave Stainless Steel Cab Structures

By purchasing a Seagrave, you are showing the utmost regard for the safety of your department's personnel. Seagrave cabs are constructed of the highest quality materials and produced with exceptional craftsmanship. Seagrave cabs are built with the customers in mind. Seagrave cabs feature a robust safety cage designed to protect firefighters in the occurrence of a collision.

141" Marauder[®] / 10" Raised Roof 25" Side Access Door



142" Attacker[®] / Split Cab



136" Capitol[®] / Level Roof 27" Side Access Door



Cab Safety Cage Specifications:

- Roof Assembly: 1.25" Stainless Steel Tubing
- Front A Pillar: 2"x3" Stainless Steel Tubing
- Back Wall: 1.25" Stainless Steel Tubing
- Sides: 1.25" Stainless Steel Tubing

Sales Direct: 715-823-1975
800-SEAGRAVE (732-4728)
Fax: 715-823-5769
Clintonville, Wisconsin
www.seagrave.com

Contact Your Representative Today To
Configure Your Apparatus

